

GOVERNMENT OF THE DISTRICT OF COLUMBIA CONSTRUCTION CODES COORDINATING BOARD

c/o DCRA - 1100 4th Street, SW, Washington, DC 20024

CODE CHANGE PROPOSAL FORM PAGE 1 OF 2		
CODE: Existing Building SECTION NO: 801.1 PROPOSING SUBCOMMITTEE: Existing Building CHAIR: Fetterm: DATES OF PROPOSAL: 4-3-2012 CCCB PRESENTATION	an PHONE: 202 625 2525	E-mail: fetterman-dc@att.net B APPROVAL: 4-19-2012
CHECK ONE		
See next page. Anticipated impact of code change on cost of construction (CHE		
☐ Increase ☐ Decrease Per 1,000 SF single-family dwelling Per 1,000SF of commercial building	Negligible	Unknown
JUSTIFICATION OF CHANGE: Please reference one or more of the criteria required To address a critical life/safety, health, general welfare need. To address a specific District of Columbia policy or statute For consistency with federal, or with reference to the Metro DC and Address a unique character issue in the District of Columbia Correction of errors and omissions Other (explain)	nrea (MD, VA) codes	
Provides flexibility for very small projects. This coor TAG during this code cycle and labeled EX-7-1-11 w 2010.	_	



CHAPTER 8 ALTERNATIONS-LEVEL 2

SECTION

801 General

804 Fire Protection

Means of Egress

801 GENERAL

Strike Section 801.1 of the International Existing Building Code in its entirety and insert new Section 801.1 to the Existing Building Code in its place to read as follows:

801.1 Scope. Level 2 *alterations* as described in Section 404 shall comply with the requirements of this chapter.

Exceptions:

- 1. Buildings in which the reconfiguration is exclusively the result of compliance with the accessibility requirements of Section 705.2 shall be permitted to comply with Chapter 7.
- 2. Sections 803.2.1, 805.3, and 805.4 shall not be mandatory for Level 2 alteration work areas of less than 500 square feet (46.5 m²) provided:
 - 2.1 There is no increase in hazard; and
 - 2.2 The alterations do not adversely affect the existing means of egress or any required fire resistance rating.